

# SAFETY DATA SHEET DENIZ DIZEL 1000 SAE 40

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name DENIZ DIZEL 1000 SAE 40

Product number 11412

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Marine Lubricant

**Uses advised against** Use only for intended applications.

# 1.3. Details of the supplier of the safety data sheet

**Supplier** PETROL OFISI A.Ş.

Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul

Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

# 1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone National Poison Consultance Center: 114 Emergency Medical Services: 112

number

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

**Precautionary statements** P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P501 Dispose of contents/ container in accordance with national regulations.

P401 Store in accordance with national regulations.

### 2.3. Other hazards

As supplied, the material does not present a health hazard.

## **DENIZ DIZEL 1000 SAE 40**

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic

60-80%

CAS number: 64742-54-7 EC number: 265-157-1 REACH registration number: 01-

2119484627-25-0033

Classification
Not Classified

Highly refined mineral oil 20-25%

Classification
Not Classified

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

1-5%

CAS number: -

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments Some substances are not classified by legistlation. They are self classified by the

manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** Get medical attention if any discomfort continues.

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

# 4.2. Most important symptoms and effects, both acute and delayed

**General information** See Section 11 for additional information on health hazards.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.Skin contactNo specific symptoms known.

### **DENIZ DIZEL 1000 SAE 40**

Eye contact No specific symptoms known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments Treat symptomatically.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Use foam, carbon dioxide or dry powder to extinguish.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards No other information known.

Hazardous combustion

products

A complex mixture of airborne solids, liquids and gases can be released. Smoke and irritating vapours as products of incomplete combustion. Unidentified organic or inorganic compounds.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Necessary precautions should be taken to ensure that non-educated personnel do not

intervene.

For emergency responders Notification: In case of spillage, notify the local authorities as appropriate or as necessary.

Proper ventilation should be provided. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal

methods.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections See Section 11 for additional information on health hazards. See Section 12 for additional

information on ecological hazards. See Section 7 for more information on safe handling.

## **DENIZ DIZEL 1000 SAE 40**

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

Advice on general Do not eat, drink or smoke when using this product. Provide eyewash station and safety

occupational hygiene shower. Good personal hygiene procedures should be implemented.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class No other information known.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

**Usage description** The product must be used as specified in the data sheet.

## SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

## Distillates (petroleum), hydrotreated heavy paraffinic

Oil mist: TWA: 5 mg/m3 (ACGIH). In no case should this limit be exceeded or the local limit, if it is more restrictive.

## Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

Mineral Oil; TWA: 5 mg/m3, ACGIH (United States)

Mineral oil: ACGIH, STEL:10 mg/m3

Ingredient comments

No other information known.

Biological limit values

No other information known.

DNEL

No other information known.

PNEC

No other information known.

Highly refined mineral oil (CAS: 64742-01-4)

**Ingredient comments** Oil Mist TWA: 5 mg /m3 (ACGIH).

## 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection The effectiveness of personal protective equipment, together with other elements,

depends on the degree of ventilation. Depending on the particular situation in question, Get professional support. Personal protective equipment (PPE) should meet recommended

national standards. Check with PPE suppliers.

# **DENIZ DIZEL 1000 SAE 40**

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

When using do not eat, drink or smoke.

Respiratory protection 
No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

**Thermal hazards** If there is a risk of contact with hot product, all protective equipment worn should be suitable

for use with high temperatures.

Environmental exposure

controls

Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Yellow.

Odour Characteristic.

Odour threshold Data lacking.

**pH** Inconclusive data.

Melting point Data lacking.

Initial boiling point and range Data lacking.

Flash point ~ 264°C OC (Open cup).

**Evaporation rate** Inconclusive data.

**Evaporation factor** Data lacking.

Flammability (solid, gas) Data lacking.

Upper/lower flammability or

explosive limits

Data lacking.

Other flammabilityData lacking.Vapour pressureData lacking.Vapour densityData lacking.

**Relative density** No specific test data are available.

**Bulk density** ~ 0,90 g/ml

Solubility(ies) Insoluble in water.

Partition coefficient Inconclusive data.

## **DENIZ DIZEL 1000 SAE 40**

Auto-ignition temperature Data lacking.

Decomposition Temperature Data lacking.

Viscosity typ. 13 cSt @ 100°C

Explosive properties Data lacking.

Explosive under the influence Data lacking.

of a flame

Oxidising properties Not known.

**Comments** No other information known.

9.2. Other information

Other information No information required.

**Refractive index** No specific test data are available.

Particle size No specific test data are available.

Molecular weight No specific test data are available.

**Volatility** No specific test data are available.

**Saturation concentration** No specific test data are available.

Critical temperature No specific test data are available.

Volatile organic compound No specific test data are available.

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising

agents.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Bozunma sıcaklığına

ısıtıldığında COx duman ve tahriş edici buharlarını salabilir.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

**Toxicological effects** No information available.

Other health effects No relevant information available.

### **DENIZ DIZEL 1000 SAE 40**

Acute toxicity - oral

**Summary** Based on available data the classification criteria are not met.

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

**Summary** Based on available data the classification criteria are not met.

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Summary** In case of frequent and / or often contact with skin, irritation symptoms may occur.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Animal data

Based on available data the classification criteria are not met.

**Human skin model test**Based on available data the classification criteria are not met.

**Extreme pH** Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Summary** Based on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Summary** There is no available data.

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Summary** Based on available data the classification criteria are not met.

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary There is no available data.

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

**Summary** The base oils in the product content contain less than 3% DMSO according to IP 346.

**Carcinogenicity** Based on available data the classification criteria are not met.

Target organ for carcinogenicity

No specific target organs known.

IARC carcinogenicity Not known.

NTP carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

**Summary**There is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

#### **DENIZ DIZEL 1000 SAE 40**

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - single exposure** Based on available data the classification criteria are not met.

**Target organs** No specific target organs known.

Specific target organ toxicity - repeated exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - repeated exposure** Based on available data the classification criteria are not met.

**Target organs** No specific target organs known.

Aspiration hazard

**Summary** There is no available data.

**Aspiration hazard** Based on available data the classification criteria are not met.

**Toxicokinetics** Based on available data the classification criteria are not met.

**General information** Based on available data the classification criteria are not met.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

hazards

No other information known.

Route of exposure No other information known.

**Target organs** No specific target organs known.

Medical symptoms

No other information known.

Medical considerations

No other information known.

Medical considerations — No other information knowl

## Toxicological information on ingredients.

## Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> >2000 mg/kg, Dermal,

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP

346.

# Highly refined mineral oil

#### Acute toxicity - oral

## **DENIZ DIZEL 1000 SAE 40**

Notes (oral LD₅₀) LD<sub>50</sub> >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD50) LD<sub>50</sub> >2000 mg/kg, Dermal,

## SECTION 12: Ecological information

**Ecotoxicity** Based on available data the classification criteria are not met.

Ecological information on ingredients.

### Distillates (petroleum), hydrotreated heavy paraffinic

**Ecotoxicity** May be harmful to aquatic organisms. Spills form film layer on water surface and

prevent oxygen transfer

12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary No other information known.

Acute toxicity - fish No other information known.

Acute toxicity - aquatic

invertebrates

No other information known.

Acute toxicity - aquatic plants No other information known.

No other information known. Acute toxicity -

microorganisms

Acute toxicity - terrestrial No other information known.

Chronic aquatic toxicity

No other information known. Summary

Chronic toxicity - fish early life No other information known.

Short term toxicity - embryo

and sac fry stages

No other information known.

Chronic toxicity - aquatic

invertebrates

No other information known.

Toxicity to soil No other information known.

Toxicity to terrestrial plants No other information known.

#### 12.2. Persistence and degradability

No other information known. Persistence and degradability Phototransformation No other information known. Stability (hydrolysis) No other information known. **Biodegradation** No other information known. Biological oxygen demand No other information known. Chemical oxygen demand No other information known.

Ecological information on ingredients.

## **DENIZ DIZEL 1000 SAE 40**

## Distillates (petroleum), hydrotreated heavy paraffinic

**Biodegradation** Not expected to be readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No other information known.

Partition coefficient Inconclusive data.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

12.4. Mobility in soil

**Mobility** The product is immiscible with water and will spread on the water surface.

Adsorption/desorption

coefficient

No other information known.

Henry's law constant

No other information known.

Surface tension

No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground

the groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No other information known.

12.6. Other adverse effects

Other adverse effects No other information known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

**General information** The packaging must be empty (drop-free when inverted).

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Environmental Manager must be informed of all major

spillages. Avoid the spillage or runoff entering drains, sewers or watercourses.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

## **DENIZ DIZEL 1000 SAE 40**

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

#### Transport labels

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on

Hazardous Substances and Mixtures

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

**Guidance** Safety Data Sheets for Substances and Preparations.

Source: European Chemicals Agency, http://echa.europa.eu/

## 15.2. Chemical safety assessment

#### SECTION 16: Other information

#### **DENIZ DIZEL 1000 SAE 40**

Abbreviations and acronyms used in the safety data sheet

E.U.: European union DMSO: Dimethyl sulfoxide

KKE: Personal protective aguipment

T.C.: Republic of Turkey

TWA: Workplace exposure limits

UZEM: National Poison Information Center

DNEL: Derived No Effect Level. CAS: Chemical Abstracts Service.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

General information

Only trained personnel should use this material. Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety

matters.

Key literature references and

sources for data

This SDS is prepared based on the information received from raw material suppliers.

Classification procedures according to Regulation (EC)

1272/2008

Not classified for physical hazards., Not classified for environmental hazards., Not classified

for health hazards.: Calculation method., Supplier information

**Training advice** Untrained personnel should not use.

**Revision comments** Revised classification.

Issued by Emrah Parmak Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate

Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)

Revision date 10/07/2020

Revision 3

Supersedes date 13/06/2011

SDS number 10257

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.